

# Josephson and spontaneous currents at the interface between two *d*-wave superconductors with transport current in the banks

Yu. A. Kolesnichenko, A. N. Omelyanchouk,\* and S. N. Shevchenko

*B. Verkin Institute for Low Temperature Physics and Engineering of the National Academy of Sciences of Ukraine, 47 Lenin Ave., 61103, Kharkov, Ukraine*

(Submitted November 6, 2003)

Fiz. Nizk. Temp. **30**, 288–294 (March 2004)

A stationary Josephson effect in the ballistic contact of two *d*-wave superconductors with different orientation of the axes and with transport current in the banks is considered theoretically. The influence of the transport current on the current–phase relation of the Josephson and tangential currents at the interface is studied. It is demonstrated that the spontaneous surface current at the interface depends on the transport current in the banks due to the interference of the angle-dependent condensate wave functions of the two superconductors. © 2004 American Institute of Physics. [DOI: 10.1063/1.1645180]

## 1. INTRODUCTION

It has been shown that in the ground state of the contact of two *d*-wave superconductors with different orientation of the axes there is a current tangential to the boundary.<sup>1–8</sup> For the particularly interesting case of  $\pi/4$  misorientation the ground state is twofold degenerate: there are the tangential currents in opposite directions at  $\varphi = \pm \pi/2$  in the absence of Josephson current. The probabilities of finding the contact in one of the two states are equal, and the corresponding tangential current is referred to as the spontaneous one. It has been proposed to use such two-state quantum systems for quantum computation.<sup>9–11</sup> It is of interest to study the possibility of controlling this system by the external transport current, which is the motivation for the present work.

In the above-described problem of the Josephson contact of two *d*-wave superconductors with transport current in the banks, the resulting tangential current is not a sum of the spontaneous and transport current. In Ref. 12 we studied the simpler case of the contact of two *s*-wave superconductors with a transport current flowing in the banks. It was shown that the presence of magnetic field,<sup>13–16</sup> of transport superconducting current,<sup>12</sup> or of current in the normal layer<sup>17,18</sup> in a mesoscopic Josephson junction can significantly influence the current–phase characteristics, current distribution, etc.

In the present problem the Josephson current is determined by the interference of the angle-dependent condensate wave functions of the two superconductors. There are two factors of anisotropy which determine the angle dependence of the order parameter: the pairing anisotropy and the transport current. Thus it is natural to expect that the resulting interference current (which has both normal and tangential components) is parametrized by the external phase difference  $\varphi$  and by the value of the transport current (or by the superfluid velocity  $v_s$ ). The presence of these two controlling parameters can be useful in the applications of Josephson junctions of high- $T_c$  superconductors.

In Sec. 2 we derive basic equations to describe a ballistic planar Josephson junction of two differently oriented *d*-wave superconductors with uniform current in the banks. These

equations are solved analytically in Sec. 3. Then in Sec. 4 we study the influence of the transport current on the Josephson current and *vice versa* at the interface. In the Appendix the order parameter and the current density in the homogeneous situation are considered.

## 2. MODEL AND BASIC EQUATIONS

We consider a model of the Josephson junction as an ideal plane between two singlet (in particular, *d*-wave) superconductors with different orientation of the axes (see Fig. 1). The pair breaking and the scattering at the junction as well as the electron scattering in the bulk of the metals are ignored. We did not take into account the possibility of the generation of a subdominant order parameter, which results in decreasing of the current amplitude.<sup>7</sup> The *c* axes of both superconductors are parallel to the interface. The *c* axis direction is chosen as the *z* axis. The *a* and *b* axes are situated in the *xy* plane. In the banks of the contact a uniform current flows with a superconducting velocity  $v_s$ . We consider the superfluid velocity  $v_s$  in the left (L) and right (R) superconducting half-spaces to be parallel to each other  $v_{s,L} \parallel v_{s,R}$  and to




FIG. 1. Geometry of the contact of two superconductors with different orientation of the axes and different transport currents (superfluid velocities  $v_{s,L,R}$ ) in the banks.

the boundary; we choose the  $y$  axis along  $\mathbf{v}_s$  and the  $x$  axis perpendicular to the boundary;  $x=0$  is the boundary plane.

We describe the coherent current state in the superconducting ballistic structure in the quasiclassical approximation by the Eilenberger equation<sup>19,20</sup>

$$\mathbf{v}_F \frac{\partial}{\partial \mathbf{r}} \hat{G} + [\tilde{\omega} \hat{\tau}_3 + \hat{\Delta}, \hat{G}] = 0, \quad (1)$$

where  $\tilde{\omega} = \omega_n + i\mathbf{p}_F \cdot \mathbf{v}_s$ ,  $\omega_n = \pi T(2n+1)$  are the Matsubara frequencies,  $\hat{G} = \hat{G}_\omega(\mathbf{v}_F, \mathbf{r}) = \begin{pmatrix} g & f \\ f^+ & -g \end{pmatrix}$  is the energy-integrated Green function, and  $\hat{\Delta} = \begin{pmatrix} 0 & \Delta \\ \Delta^* & 0 \end{pmatrix}$ . Equation (1) should be supplemented by the equation for the order parameter (the self-consistency equation):

$$\Delta(\mathbf{v}_F, \mathbf{r}) = \pi N_0 T \sum_{\omega} \langle V(\mathbf{v}_F, \mathbf{v}'_F) f(\mathbf{v}'_F, \mathbf{r}) \rangle_{\mathbf{v}'_F}, \quad (2)$$

$N_0$  is the density of states at the Fermi level and  $\langle \dots \rangle_{\mathbf{v}_F}$  denotes averaging over directions of  $\mathbf{v}_F$ ;  $V(\mathbf{v}_F, \mathbf{v}'_F)$  is a pairing attractive potential. For the bulk  $d$ -wave superconductor it is usually assumed that  $\Delta(\theta) = \Delta_0(T, \mathbf{v}_s) \cos 2\theta$  and  $V(\mathbf{v}_F, \mathbf{v}'_F) = V_d \cos 2\theta \cos 2\theta'$ , where the angle  $\theta$  defines a direction of the velocity  $\mathbf{v}_F$ . Solutions of Eqs. (1), (2) must satisfy the conditions for the Green functions and gap function in the banks far from the interface:

$$g(\mp \infty) = \frac{\omega_{L,R}}{\Omega_{L,R}}, \quad (3)$$

$$f(\mp \infty) = \frac{\Delta(\mp \infty)}{\Omega_{L,R}}, \quad (4)$$

$$\Delta(\mp \infty) = \Delta_{L,R} \exp(\pm i\varphi/2). \quad (5)$$

Here  $\omega_{L,R} = \omega_n + i\mathbf{p}_F \cdot \mathbf{v}_{s,L,R}$ ,  $\Omega_{L,R} = \sqrt{\omega_{L,R}^2 + \Delta_{L,R}^2}$ ;  $\varphi$  is the phase difference between the left and right superconductors, which parametrizes the Josephson current state. The angles  $\chi_{L,R}$  define the orientation of the crystal axes  $\mathbf{a}$  and  $\mathbf{b}$  in the left and right half-spaces (see Fig. 1). The angle between the axes of the right and left superconductors (the misorientation angle) is  $\delta\chi = \chi_R - \chi_L$ .

Provided we know the Green function  $\hat{G}$ , we can calculate the current density:

$$\mathbf{j}(\mathbf{r}) = -2\pi ie N_0 T \sum_{\omega} \langle \mathbf{v}_F g(\mathbf{v}_F, \mathbf{r}) \rangle_{\mathbf{v}_F}. \quad (6)$$

For singlet superconductors it is usually assumed that  $\Delta(-\mathbf{v}_F) = \Delta(\mathbf{v}_F)$ , and we therefore have:

$$f^+(\omega, -\mathbf{v}_F) = f^+(-\omega, \mathbf{v}_F) = f^*(\omega, \mathbf{v}_F), \quad (7)$$

$$g(\omega, -\mathbf{v}_F) = -g(-\omega, \mathbf{v}_F) = g^*(\omega, \mathbf{v}_F). \quad (8)$$

Making use of Eq. (8), we can rewrite Eq. (6) as

$$\mathbf{j}(\mathbf{r}) = -j_0 \frac{T}{T_c} \sum_{\omega > 0} \langle \hat{\mathbf{v}}_F \text{Im } g(\mathbf{r}) \rangle_{\mathbf{v}_F}, \quad (9)$$

$$j_0 = 4\pi |e| N(0) v_F T_c.$$

### 3. ANALYTICAL SOLUTION OF THE EILENBERGER EQUATION

In this paper we consider the problem non-self-consistently: we assume the superconducting velocity  $\mathbf{v}_s$  is uniform and that the order parameter  $\Delta$  is constant in the two half-spaces:

$$\mathbf{v}_s(\mathbf{r}) = \begin{cases} \mathbf{v}_{s,L}, & x < 0 \\ \mathbf{v}_{s,R}, & x > 0 \end{cases}, \quad \Delta(\mathbf{r}) = \begin{cases} \Delta_L \exp(i\varphi/2), & x < 0 \\ \Delta_R \exp(-i\varphi/2), & x > 0 \end{cases}. \quad (10)$$

As was shown in Refs. 7, the self-consistent consideration of a Josephson junction of  $d$ -wave superconductors does not differ qualitatively from the non-self-consistent treatment. In Ref. 7 the self-consistent solution is compared numerically with the non-self-consistent one. The self-consistency of the solution allows one to take into account the suppression of the order parameter at the interface; the major effect of this is a reduction in the current.<sup>7</sup>

Equation (1), taken together with Eqs. (3)–(5) and (10), yields for the left and right superconductors:

$$g_{L,R}(x) = \frac{\omega_{L,R}}{\Omega_{L,R}} + C_{L,R} \exp\left(-\frac{2|x|}{|v_x|} \Omega_{L,R}\right), \quad (11)$$

$$f_{L,R}(x) = \frac{\Delta_{L,R}}{\Omega_{L,R}} e^{-\text{sgn}(x)i\varphi/2} - C_{L,R} \frac{\text{sgn}(x) \eta \Omega_{L,R} + \omega_{L,R}}{\Delta_{L,R}} \times \exp\left(-\frac{2|x|}{|v_x|} \Omega_{L,R}\right) e^{-\text{sgn}(x)i\varphi/2}, \quad (12)$$

where  $\eta = \text{sgn}(v_x)$ . Making use of the continuity condition, we obtain the expression for the  $g$  function at the interface:

$$g(0) = \frac{\Omega_L \omega_R + \Omega_R \omega_L - i\eta \Delta_L \Delta_R \sin \varphi}{\Omega_L \Omega_R + \omega_L \omega_R + \Delta_L \Delta_R \cos \varphi}. \quad (13)$$

Equations (9) and (13) allow us to calculate the Josephson current  $j_J = j_x(x=0)$  and the tangential current  $j_y(x=0)$  at the interface. We emphasize that these equations are valid for describing the current at the interface of two singlet superconductors with different orientation of the axes and with different transport currents in the banks. The contact of conventional superconductors was considered in Ref. 12, and in the present paper we study the contact of  $d$ -wave superconductors, for which the order parameter is  $\Delta_{L,R} \theta = \Delta_0(T, \mathbf{v}_{s,L,R}) \cos 2(\theta - \chi_{L,R})$ . The treatment presented here can be also used to consider the contact of  $g$ -wave superconductors or an  $s$ -wave/ $d$ -wave contact, etc.

As we restrict ourselves to the non-self-consistent model, we should calculate the order parameter  $\Delta_0 = \Delta_0(T, \mathbf{v}_s)$  in the bulk  $d$ -wave superconductor. That is the subject of the Appendix.

In the particular case considered in detail below, we have  $\mathbf{v}_{s,L} = \mathbf{v}_{s,R} = \mathbf{v}_s$  and denote  $\tilde{\omega} = \omega_n + i\mathbf{p}_F \cdot \mathbf{v}_s$ ,  $\Omega_{L,R} = \sqrt{\tilde{\omega}^2 + \Delta_{L,R}^2}$ ; in this case we obtain

$$g(0) = \frac{\tilde{\omega}(\Omega_L + \Omega_R) - i\eta \Delta_L \Delta_R \sin \varphi}{\Omega_L \Omega_R + \tilde{\omega}^2 + \Delta_L \Delta_R \cos \varphi}. \quad (14)$$

In the absence of the transport current ( $\mathbf{v}_s = 0$ ) in this expression:  $\tilde{\omega} = \omega_n$  (Ref. 7).

We should also clarify the sign of the square root in  $\Omega_{L,R}$ . To make the solution (11) convergent, we must re-




FIG. 2. Josephson current density through the interface  $j_J$  versus phase  $\varphi$  ( $\chi_L=0, \chi_R=\pi/4, T=0.1T_c$ ;  $\Delta_{00}=\Delta_0(T=0, v_s=0)=2.14T_c$ ).

quire  $\text{Re } \Omega_{L,R} > 0$ , which fixes the sign of the square root in  $\Omega_{L,R}$  to be  $\text{sgn}(\omega \mathbf{p}_F \cdot \mathbf{v}_{s;L,R})$ . Moreover, this requirement, as can be shown, provides a supplementary condition on  $\text{Re } g$ :  $\text{sgn}(\text{Re } g) = \text{sgn}(\omega)$ .

#### 4. INFLUENCE OF THE TRANSPORT CURRENT ON THE JOSEPHSON AND SPONTANEOUS CURRENTS AT THE INTERFACE

Below we study the Josephson contact for the particular case when  $\mathbf{v}_{sL} = \mathbf{v}_{sR} = \mathbf{v}_s$  and  $\chi_L=0$  and  $\chi_R=\pi/4$ .

For small values of  $v_s$  (in the approximation linear in  $p_F v_s / T_c$ ) we can state the following approximate relations (which are valid for values of  $\varphi$  in the vicinity of  $\pm \pi/2$ ):

$$j_J(-\mathbf{v}_s, \varphi) \approx j_J(\mathbf{v}_s, \varphi),$$

$$j_y(-\mathbf{v}_s, \varphi) \approx -j_y(\mathbf{v}_s, -\varphi),$$

and for the difference  $\delta j \equiv j(\mathbf{v}_s) - j(\mathbf{v}_s=0)$ :

$$\delta j_J(-\varphi) \approx -\delta j_J(\varphi), \quad \delta j_y(-\varphi) \approx \delta j_y(\varphi),$$

while at  $\mathbf{v}_s=0$

$$j_J(-\varphi) = -j_J(\varphi), \quad j_y(-\varphi) = -j_y(\varphi).$$

In the linear approximation the shift current  $\delta j_y$  is an even function of  $\varphi$ , in contrast to  $j_y(\mathbf{v}_s=0)$ . For the spontaneous current (at  $\varphi = \pm \pi/2$ ) the shift currents  $\delta j_y$  are equal:

$$j_y(\varphi = \pm \pi/2) = j_s + \delta j_y. \quad (15)$$

$$j_s(-\pi/2) = -j_s(\pi/2), \quad \delta j_y(-\pi/2) = \delta j_y(\pi/2).$$

In a nonlinear treatment these shift currents are different for the two cases and are discussed below.

In Figs. 2 and 3 we plot the normal (Josephson) and tangential components of the current densities at the plane of the interface as functions of the phase difference  $\varphi$  at low temperature. In the absence of the transport current: (i)  $\mathbf{j}$  is an odd function of  $\varphi$ ; (ii) the normal component of the current (Josephson current) is  $\pi$ -periodic; (iii) in the equilibrium state at  $\varphi = \pm \pi/2$ :  $j_J=0$ ,  $j_y(\pm \pi/2) = j_s = \mp |j_s|$ . This being the case, the tangential current exists in the absence of the Josephson current; for that reason it is referred to as the spontaneous current. The presence of the transport current breaks the symmetry relations (i)–(iii). There is a nonzero Josephson current at  $\varphi=0, \pi$ . How the transport current in-




FIG. 3. Tangential current density at the interface  $j_y$  versus phase  $\varphi$  ( $\chi_L=0, \chi_R=\pi/4, T=0.1T_c$ ).

fluences the spontaneous current (i.e., the tangential current at  $\varphi = \pi/2$  and  $\varphi = -\pi/2$ ) is shown in Fig. 4. The shift of the two values of the current for small values of  $v_s$  (in the approximation linear in  $p_F v_s / T_c$ ) is equal [see Eq. (15)]; however, at values  $v_s \sim 0.2 \Delta_{00} / p_F$  the shift current (i.e., the difference  $j_y(\mathbf{v}_s) - j_s(\mathbf{v}_s=0)$ ) is of different sign for the two currents and in the directions opposite to  $j_s$ .

We also note the following relations for  $\mathbf{v}_s \neq 0$ : 1)  $j_J(\varphi = \pi) = -j_J(\varphi = 0) \neq 0$  (the presence of the transport current induces a nonzero Josephson current in the absence of an external phase difference); 2)  $j_J(\varphi = \pm \pi/2) = 0$ ,  $dj_J/d\varphi \times (\varphi = \pm \pi/2) > 0$  (the transport current does not change the values of the equilibrium phase difference, at  $\varphi = \pm \pi/2$ ); 3)  $j_y(\varphi = \pi) = j_y(\varphi = 0) \neq 0$ . This last relation concerns the interesting phenomena studied in Ref. 12: for some values of the phase difference (here in the vicinity of  $\varphi=0, \pi$ ) the interference of the angle-dependent condensate wave functions results in the appearance of an additional tangential current with the direction opposite to the transport current in the banks. We emphasize that the resulting tangential current is not the sum of the spontaneous current and the transport current.<sup>12</sup> Thus, the transport current drastically influences both the tangential (spontaneous) and Josephson currents.

We can write down explicitly an expression for the cur-




FIG. 4. Tangential current density at the interface  $j_y$  for two values of the phase difference (spontaneous current) versus superfluid velocity  $v_s$  ( $\chi_L=0, \chi_R=\pi/4, T=0.1T_c$ ).

rent for temperatures close to the critical (so close that  $\Delta_0, p_F v_s \ll T_c$ ). From Eq. (14) we have:

$$\text{Im } g(0) \approx \Delta_L \Delta_R \left[ -\eta \frac{1}{2\omega_n^2} \sin \varphi + \frac{\mathbf{p}_F \mathbf{v}_s}{\omega_n^3} \cos \varphi + \eta \frac{3}{2} \frac{(\mathbf{p}_F \mathbf{v}_s)^2}{\omega_n^4} \sin \varphi + \eta \frac{\Delta_L \Delta_R}{8\omega_n^4} \sin 2\varphi \right]. \quad (16)$$

At  $\chi_L = 0$  and  $\chi_R = \pi/4$  this results in the following:

$$\mathbf{j} = \mathbf{j}_J + \mathbf{j}_S + \tilde{\mathbf{j}}, \quad (17)$$

$$\mathbf{j}_J = -\frac{1}{3024\pi} j_0 \frac{\Delta_0^4}{T_c^4} \sin 2\varphi \cdot \mathbf{e}_x, \quad (18)$$

$$\mathbf{j}_S = -\frac{1}{60\pi} j_0 \frac{\Delta_0^2}{T_c^2} \sin \varphi \cdot \mathbf{e}_y, \quad (19)$$

$$\tilde{\mathbf{j}} = \frac{3}{560\pi} j_0 \frac{\Delta_0^2}{T_c^2} \frac{(p_F v_s)^2}{T_c^2} \sin \varphi \cdot \mathbf{e}_y. \quad (20)$$

Here  $\Delta_0 = \Delta_0(T, v_s)$  and is defined by Eq. (25). In particular, at  $v_s = 0$  this gives:

$$j_J = -1.7 \times 10^{-2} j_0 \left(1 - \frac{T}{T_c}\right)^2 \sin 2\varphi, \quad (21)$$

$$j_S = -6.6 \times 10^{-2} j_0 \left(1 - \frac{T}{T_c}\right) \sin \varphi. \quad (22)$$

We note that  $\tilde{\mathbf{j}} = -\frac{9}{28} [(p_F v_s)^2 / T_c^2] \mathbf{j}_S$ . It follows that the effect of transport current on the spontaneous tangential current at  $T \sim T_c$  is to reduce its value by a small shift. It is remarkable that the current tangential to the boundary contains only corrections of the second order in the parameter  $p_F v_s / T_c$ .<sup>1)</sup> If  $\chi_L = 0$  and  $\chi_R = \delta\chi \neq \pi/4$ , the integration of the second term in Eq. (16) would give us the factor  $\pi \cos^2 \delta\chi - \pi/2$ , which is zero for  $\delta\chi = \pi/4$ ; this term at  $\delta\chi = 0$  and  $\varphi = 0$  gives the uniform current density (Eq. (26)).

The integration of the first term in Eq. (16) gives us the factor  $\cos 2\delta\chi$  for the  $x$  component of the current and  $\sin 2\delta\chi$  for the  $y$  component. In the case  $\delta\chi = \pi/4$  this term gives only the tangential component. As a consequence  $j_S \gg j_J$  [see Eqs. (21), (22)].

It was discussed above that the terms linear in  $p_F v_s / T_c$  result in a uniform shift of  $j_S$ . We can see that nonlinear terms result in a shift of different sign, and in both cases in the direction opposite to  $j_S$  [see Eq. (20)]. This in part explains the nonmonotonic behavior of  $j_y$  (see Fig. 4). The fact that the presence of the transport current significantly changes the tangential (spontaneous) currents might be used for its control, which is important in view of their possible application for quantum computation.<sup>9-11</sup>

## 5. CONCLUSION

We have studied influence of the transport current, which flows in the banks, on the stationary Josephson effect in the contact of two  $d$ -wave superconductors. We have derived equations which allow general consideration of the contact of two singlet superconductors with different orientation of the axes and with different transport currents in the banks. In

particular, we have studied the planar contact of two  $d$ -wave superconductors in the case of  $\pi/4$  misorientation with equal transport currents in the banks. It was demonstrated that the current-phase relation depends drastically on the value of the transport current. The ground state degeneracy in the absence of transport current (at  $\varphi = \pm \pi/2$ ) is lifted at  $v_s \neq 0$ . The dependence of the shift current (which is the difference of the tangential current and the spontaneous one) on  $v_s$  is shown to be nonlinear. It is proposed to use the transport current for the control of qubits based on the contact of two  $d$ -wave superconductors.

We acknowledge support from D-Wave Systems, Inc. (Vancouver).

Results of the present study were reported at the International Conferences: "Applied Electrodynamics of High- $T_c$  Superconductors," IRE, Kharkov, Ukraine (May 2003) and "Basic Studies and Novel Applications," Jena, Germany (June 2003).

## 6. APPENDIX. ORDER PARAMETER IN THE HOMOGENEOUS CURRENT STATE

In this Section we study the homogeneous current state in the bulk  $d$ -wave superconductor (see also Ref. 21). We note that the order parameter  $\Delta_0$  is a function of temperature  $T$ , superfluid velocity  $v_s$ , and the angle  $\chi$  between the crys-




FIG. 5. Order parameter  $\Delta_0(T, \mathbf{v}_s)$  (a) and current density (b) in a bulk  $d$ -wave superconductor versus superfluid velocity  $v_s$  for different angles  $\chi$  between  $\mathbf{v}_s$  and the  $\mathbf{a}$  axis ( $T=0$ ).



tallographic axis  $a$  and the direction of the superfluid velocity  $\mathbf{v}_s$ . For that we must solve Eqs. (2) and (9) with  $g$  and  $f$  given by Eqs. (3) and (4):

$$\frac{1}{\lambda} = 2T \sum_{\omega > 0} \int_{-\pi/2}^{\pi/2} d\theta \operatorname{Re} \frac{\Delta^2(\theta)/\Delta_0^2}{\Omega},$$

$$\frac{j}{j_0} = -\frac{T}{\pi T_c} \sum_{\omega > 0} \int_{-\pi/2}^{\pi/2} d\theta \hat{\mathbf{v}}_F \operatorname{Im} \frac{\tilde{\omega}}{\Omega}.$$

Here  $\lambda = N_0 V_d$ ,  $\tilde{\omega} = \omega_n + i\mathbf{p}_F \cdot \mathbf{v}_s$ ,  $\Omega = \sqrt{\tilde{\omega}^2 + \Delta^2}$ ,  $\Delta(\theta) = \Delta_0(T, \mathbf{v}_s) \cos 2(\theta - \chi)$ .

For  $T=0$  (replacing  $\pi T \sum_{\omega}$  by the integral  $\int d\omega$ ) we obtain the equations for the order parameter  $\Delta_0$  and the current density  $j$ :

$$\ln \left( \frac{\Delta_{00}}{\Delta_0} \right) = \frac{2}{\pi} \int d\theta \left( \frac{\Delta(\theta)}{\Delta_0} \right)^2 \ln \left( \left| \frac{\mathbf{v}_s \cdot \mathbf{p}_F}{\Delta(\theta)} \right| + \sqrt{\left( \frac{\mathbf{v}_s \cdot \mathbf{p}_F}{\Delta(\theta)} \right)^2 - 1} \right), \quad (23)$$

where  $\Delta_{00} = \Delta_0(T=0, v_s=0) = \xi \omega_c e^{-2/\lambda}$ ,  $\xi = 4e^{-1/2}$ , and

$$\frac{j}{j_0} = -\frac{1}{4\pi} \frac{v_s p_F}{T_c} + \frac{1}{2\pi^2} \int d\theta |\cos \theta| \sqrt{\left( \frac{\mathbf{v}_s \cdot \mathbf{p}_F}{T_c} \right)^2 - \left( \frac{\Delta(\theta)}{T_c} \right)^2}. \quad (24)$$

In Eqs. (23) and (24) the integration is performed in the region where  $\Delta(\theta)^2 < (\mathbf{v}_s \cdot \mathbf{p}_F)^2$  for  $\theta \in (-\pi/2, \pi/2)$ .

In Figs. 5 we plot the order parameter  $\Delta_0(T, \mathbf{v}_s)$  and the current density versus the superfluid velocity  $v_s$  for different angles  $\chi$  at low temperature. For comparison we also plot the curves for the  $s$ -wave superconductor. A numerical analysis at low temperature shows that in spite of the strong anisotropy of the pairing potential, the order parameter  $\Delta_0$ , the critical velocity  $v_s^{\text{cr}}$ , and the critical current  $j_c$  depend weakly on the angle  $\chi$  between  $\mathbf{v}_s$  and the crystallographic  $a$  axis (see Figs. 5 and in Ref. 21). Namely, the respective difference is maximal for  $\chi=0$  and  $\chi=\pi/4$  and does not exceed 0.1. For small values of the superfluid velocity, i.e., in the approximation linear in the parameter  $v_s p_F / T_c$ , both  $\Delta_0$  and  $j$  are independent of  $\chi$ .

For a temperature close to  $T_c = \beta \omega_c e^{-2/\lambda} = 0.47 \Delta_{00}$ , where  $\beta = (2/\pi) e^C$ , ( $C$  is the Euler constant), both the gap function  $\Delta_0$  and current density  $j$  are independent of the angle  $\chi$ :

$$\Delta_0^2 = \frac{32\pi^3}{21\zeta(3)} T_c^2 \left( 1 - \frac{T}{T_c} \right) - \frac{4}{3} (p_F v_s)^2, \quad (25)$$

$$\frac{j}{j_0} = -\frac{7\zeta(3)}{32\pi^3} \frac{\Delta_0^2}{T_c^2} \frac{p_F v_s}{T_c}. \quad (26)$$

The temperature dependence of the critical velocity  $v_s^{\text{cr}}$  follows from Eq. (25):  $p_F v_s^{\text{cr}} / T_c = \sqrt{8\pi^2 / 7\zeta(3)} \sqrt{1 - T/T_c}$ .

\*E-mail: omelyanchouk@ilt.kharkov.ua

<sup>1</sup>There is also a term with the factor  $(p_F v_s / T_c)(\Delta_0^4 / T_c^4)$ , which is neglected here. This term results in equal shifts of  $j_s$  for  $\varphi = \pm \pi/2$ .

<sup>1</sup>S. Yip, Phys. Rev. B **52**, 3087 (1995).

<sup>2</sup>M. Matsumoto and H. Shiba, J. Phys. Soc. Jpn. **65**, 2194 (1996).

<sup>3</sup>A. Huck, A. van Otterlo, and M. Sigrist, Phys. Rev. B **56**, 14163 (1997).

<sup>4</sup>M. Sigrist, Prog. Theor. Phys. **99**, 899 (1998).

<sup>5</sup>T. Löfwander, V. S. Shumeiko, and G. Wendin, Phys. Rev. B **62**, R14653 (2000).

<sup>6</sup>S. Kashiwaya and Y. Tanaka, Rep. Prog. Phys. **63**, 1641 (2000).

<sup>7</sup>M. H. S. Amin, A. N. Omelyanchouk, and A. M. Zagorskin, Phys. Rev. B **63**, 212502 (2001); M. H. S. Amin, A. N. Omelyanchouk, S. N. Rashkeev, M. Coury, and A. M. Zagorskin, *ibid.* **318**, 162 (2002).

<sup>8</sup>E. Il'ichev *et al.*, Phys. Rev. Lett. **86**, 5369 (2001).

<sup>9</sup>L. B. Ioffe *et al.*, Nature (London) **398**, 679 (1999).

<sup>10</sup>A. Blais and A. M. Zagorskin, Phys. Rev. A **61**, 042308 (2000); A. M. Zagorskin, J. Phys.: Condens. Matter **9**, L419 (1997).

<sup>11</sup>M. H. S. Amin, A. Yu. Smirnov, and A. M. Zagorskin *et al.*, arXiv:cond-mat/0310224 (2003).

<sup>12</sup>Yu. A. Kolesnichenko, A. N. Omelyanchouk, and S. N. Shevchenko, Phys. Rev. B **67**, 172504 (2003).

<sup>13</sup>J. P. Heida, B. J. van Wees, T. M. Klapwijk, and G. Borghs, Phys. Rev. B **57**, R5618 (1998).

<sup>14</sup>V. Barzykin and A. M. Zagorskin, Superlattices Microstruct. **25**, 797 (1999).

<sup>15</sup>Urs Lederman, Alban L. Fauchere, and Gianni Blatter, Phys. Rev. B **59**, R9027 (1999).

<sup>16</sup>M. H. S. Amin, A. N. Omelyanchouk, and A. M. Zagorskin, Fiz. Nizk. Temp. **27**, 835 (2001) [Low Temp. Phys. **27**, 616 (2001)].

<sup>17</sup>A. Morpurgo, B. J. van Wees, and T. M. Klapwijk, Appl. Phys. Lett. **72**, 966 (1998).

<sup>18</sup>F. K. Wilhelm, G. Shön, and A. D. Zaikin, Phys. Rev. Lett. **81**, 1682 (1998).

<sup>19</sup>G. Eilenberger, Z. Phys. **214**, 195 (1968).

<sup>20</sup>I. O. Kulik and A. N. Omelyanchouk, Fiz. Nizk. Temp. **4**, 296 (1978) [Sov. J. Low Temp. Phys. **4**, 142 (1978)].

<sup>21</sup>J. Ferrer, M. A. Gonzalez-Alvarez, and J. Sanchez-Canizares, Superlattices Microstruct. **25**, 1125 (1999).